Index

A

Abundance of seedlings and young plants 4–16
Accelerating practices 3.2–38, 5.1–2, 5.2–76, 11–1, 11–9, 11–11, 11–14, 11–15, Glossary–1
Acid soils 3.2–9, 3.2–29, 3.2–30, 3.2–33, 3.2–34, 3.2–36, 3.2–38, 5.2–33, 5.2–61, 5.2–64, Glossary–1
Adaptive management 5.3–1, 11–15
Adjustment factor Glossary–1
Aggregate stability 7.1–3, 7.1–7, 7.1–18, 7.1–19, 7.1–21
Air-dry weight 3.1–7, 3.1–13, 4–4, 4–6, 4–7, 4–23, 5.1–20, 6–8, Glossary–1
Alfalfa 2–5, 3.2–1, 3.2–4, 3.2–5, 3.2–17, 3.2–21, 3.2–22, 3.2–24, 3.2–27, 3.2–28, 3.2–30, 3.2–31, 3.2–32, 3.2–35, 3.2–39, 3.2–40, 3.2–44, 5.2–3, 5.2–4, 5.2–11, 5.2–12, 5.2–16, 5.2–26, 5.2–27, 5.2–33, 5.2–37, 5.2–52, 5.2–54, 5.2–55, 5.2–56, 5.2–57, 5.2–58, 5.2–65, 5.2–66, 5.2–67, 5.2–68, 5.2–69, 5.2–70, 5.2–72, 5.2–73, 5.2–77, 5.2–78, 5.2–82, 5.2–83, 6–13, 6–15, 7.1–6, 7.1–14
Alkaline soil 3.2–7, 3.2–19, 3.2–29, 3.2–30, 3.2–31, 3.2–36, Glossary–1
Alternative uses 7.1–1, 9–1, 10–4
Aluminum saturation 3.2–9
Aluminum toxicity 3.2–4, 3.2–34, 3.2–35, 5.2–30
Amortization 10–3, 10–4, 10–5
Analyze resource data 11–4, 11–8
Animal behavior 6–10, 6–19
Animal inventory 5.3–5, 11–13
Animal unit 3.2–4, 5.1–8, 5.1–16, 5.1–17, 5.2–4, 5.2–8, 5.2–19, 5.2–20, 5.2–21, 5.2–22, 5.2–23, 5.2–24, 5.2–26, 5.2–31, 5.3–1, 5.3–3, 6–8, 6–9, 6–13, 10–5
Animal unit equivalents 6–8, 6–9, 6–13
Animal unit month 3.2–4, 5.2–8, 5.3–3, 6–8
Annual production 3.1–6, 3.1–7, 3.1–12, 3.1–15, 4–3, 4–8, 4–17, 4–18, 4–38, 4–42, 5.1–2, 5.2–9, 5.2–45
Assembly of ecological site data 3.1–8
Associated sites 5.1–6
AU 5.2–31, 5.3–2, 5.3–3, 6–8, 6–9, 6–13, Glossary–4
AUE 6–13
AUM 3.2–4, 3.2–5, 5.3–2, 5.3–3, 6–8, Glossary–4
Authority 1–1, 11–2
Available phosphorus 3.2–5, 3.2–41
Available potassium 3.2–5
Available water capacity 3.2–4, 3.2–7, 3.2–10, 3.2–19, 3.2–20, 3.2–25, Glossary–4
Average annual minimum temperature 3.2–3, 3.2–13, 3.2–15
Average July temperature 3.2–3, 3.2–13, 3.2–15

B

Bare ground 3.1–13, 3.2–5, 4–16, 4–17, 5.2–11, 7.1–15, 7.1–16
Basal metabolism 6–3, 6–4
Base saturation 3.2–33
Baseflow 7.1–6, 7.1–9
Biologists 8–2, 8–6, 9–8
Body condition score 6–4, 6–5, Glossary–6
Breeding season 6–17
Browse 4–9, 4–10, 4–11, 4–12, 5.1–6, 5.1–7, 5.1–8, 5.1–16, 5.1–19, 8–7, 8–12, Glossary–7
Browse lines Glossary–7
Brush control and watershed effects 7.1–5, 7.1–22, Glossary–7

C

Calcareous soil 3.2–10, 3.2–36, 5.2–33, 5.2–74
Calculating stocking rates 5.3–1
Carbohydrates 6–1, 6–2, 6–6, 6–11, 6–14
Carrying capacity 8–5, Glossary–9
Cash flow 5.2–19, 9–2, 9–9, 9–11, 10–8
Cation exchange capacity 3.2–4, 3.2–7, 3.2–8, 3.2–9, 3.2–10, 3.2–19, 3.2–33, 3.2–34, 3.2–36, 3.2–40, 3.2–41, 3.2–42, 5.2–60, 5.2–61, 5.2–74, 5.2–75, Glossary–9
Clients 10–2, 11–1, 11–2, 11–3, 11–4, 11–5, 11–6, 11–7, 11–8, 11–10, 11–13, 11–14, 11–15
Climatic features 3.1–10, 3.1–11, 3.2–3
Clubmoss 7.1–16
Community pathway 3.1–3, 3.1–12
Compaction layer 4–28, 4–33, 4–35, 4–42
Competition 5.1–3, 5.1–19, 5.2–36, 5.2–68, 5.2–76, 7.1–3, 7.1–5, 8–5, 8–7, 8–8, 9–11, Glossary–10
Composition changes 4–15, 5.1–3, 5.1–15, 7.1–19
Condition of animals 4–10
Condition of the soil surface 4–1, 4–16
Conservation crop rotation 5.2–77, 5.2–79, 5.2–80, 5.2–82
Conservation planning 3.2–26, 4–8, 4–14, 5.1–2, 5.1–8, 5.1–14, 5.1–19, 5.2–83, 7.1–3, 7.1–4, 8–1, 8–2, 9–8, 11–1, 11–2, 11–3, 11–4, 11–15
Conservation practices for pasture 5.2–19
Controlled breeding 6–17
Conversion factor 5.3–2, Glossary–12
Coordinated resource management 11–2, Glossary–12
Correlating ecological sites 3.1–10
Cover 2–2, 2–4, 3.1–12, 3.1–13, 3.1–14, 3.2–3, 3.2–4, 3.2–5, 3.2–6, 3.2–13, 3.2–15, 3.2–18, 3.2–19, 3.2–28, 3.2–44, 3.2–45, 3.2–46, 3.2–48, 4–1, 4–2, 4–5, 4–15, 4–16, 4–17, 4–44, 4–45, 5.1–3, 5.1–7, 5.2–14, 5.2–19,

Cover (cont.) 5.2–20, 5.2–23, 5.2–24, 5.2–26,5.2–30, 5.2–36, 5.2–40, 5.2–55, 5.2–57, 5.2–58, 5.2–65, 5.2–67, 5.2–80, 5.2–82, 6–5, 6–6, 7.1–3, 7.1–4, 7.1–5, 7.1–6, 7.1–9, 7.1–11, 7.1–15, 7.1–16, 7.1–17, 7.1–18, 7.1–19, 7.1–21, 7.1–23, 7.1–24, 8–1, 8–2, 8–3, 8–5, 8–7, 8–8, 8–11, 8–12, 9–7, 10–4, 11–4, 11–5
Cowardin wetland system 3.1–12
Cropland 3–1, 3.2–8, 3.2–45, 3.2–46, 5.1–18, 5.2–2, 5.2–9, 5.2–17, 5.2–49, 5.2–54, 5.2–59, 5.2–63, 5.2–65, 5.2–79, 5.2–80, 5.2–81, 7.1–21, 8–1, 8–4, 8–8, Glossary–12
Cropland and hayland 2–4, 3.2–8

D

Days of snow cover 3.2–3, 3.2–13, 3.2–15, 3.2–18
Deferred rotation 5.1–8, 5.1–9, 5.1–13, 5.1–14, 7.1–19, Glossary–14
Deferred stocking 5.2–29
Defining proper degree of grazing use 5.1–7
Denitrification 3.2–9, 5.2–61, 5.2–63
Depth to restrictive layer 3.2–25, 3.2–48, 7.1–7
Desirable plants 4–44, 5.2–11, 5.2–20, 5.3–3, 5.3–4, Glossary–14
Desired plant community 3.1–13, 5.1–2, 5.1–15, 5.1–21, 8–2, 8–7, 8–8, Glossary–15
Determine objectives 11–6
Determining percentage of grazed versus ungrazed plants 4–9
Determining utilization of browse plants 4–9
Developing new site description 3.1–17
Differentiation between ecological sites 3.1–6
Digestible energy 6–2, Glossary–15
Direct marketing 9–1, 9–3
Discount rate 10–1, 10–3, 10–5, 10–6, 10–7, 10–9, 10–10, Glossary–15
Discounting 10–6, 10–7, 10–8, Glossary–15
Disease and herbivory control 3.2–5, 5.2–77
Diversification 9–1, 9–2, 9–3, 9–6, 9–7, 9–8, 9–10
Diversifying 9–1, 9–8
Double sampling 4–4, 4–6
Dry matter digestibility 5.2–22, Glossary–17
Dynamics of ecological sites 5.1–1, 7.1–19

E

Ecological processes 3.1–3, 3.1–6, 3.1–12, 4–23, 4–24, 4–25, 4–34, 5.1–1, 5.1–2, 5.1–8, Glossary–45
Ecological site description 3.1–1, 3.1–3, 3.1–5, 3.1–6, 3.1–7, 3.1–8, 3.1–10, 3.1–11, 3.1–13, 3.1–16, 3.1–19, 4–1, 4–2, 4–8, 4–14, 4–15, 4–17, 4–18, 4–24, 4–25, 4–26, 4–27, 4–28, 4–29, 4–30, 4–31, 4–32, 4–33, 4–34, 4–35, 4–37, 4–38, 4–39, 4–40, 4–41, 4–43, 5.1–2, 5.1–15, 5.1–21, 8–2, 11–3, 11–7, 11–13
Ecological site descriptions
  forest land 11–3, 11–7, 11–13
  rangeland 11–3, 11–7, 11–13
Ecological site information system 3.1–9, 3.1–11, 4–4, 4–5, 4–7
Ecological site inventory 3.1–6, 3.1–8
Ecological sites 1–2, 1–4, 1–5, 3.1–1, 3.1–5, 3.1–6, 3.1–7, 3.1–8, 3.1–9, 3.1–10, 3.1–11, 3.1–16, 3.1–18, 3.1–19, 3.2–2, 4–1, 4–2, 4–4, 4–7, 4–8, 4–14, 4–15, 4–16, 4–42, 4–43, 5.1–1, 5.1–2, 5.1–5, 5.1–7, 5.1–15, 5.1–21, 5.3–2, 7.1–5, 8–2, 8–3, 11–1
Economic analysis 5.2–79, 10–1, 10–2, 10–5
Economic factors 9–9, 9–11, 9–13
Economic feasibility 5.2–74, 10–1, 11–14
Economics 5.2–59, 7.1–2, 9–10, 10–1, 10–3, 10–5, 10–10, 11–14
Edge effect 8–3, 8–4, 8–5, 8–7, 8–8, Glossary–18
Endangered Species Act 8–1
Energy 3.1–3, 3.1–6, 3.1–13, 3.1–16, 4–15, 5.1–3, 5.1–8, 5.1–15, 5.2–15, 5.2–16, 5.2–22, 5.2–24, 5.2–28, 5.2–34, 5.2–46, 6–1, 6–2, 6–3, 6–4, 6–6, 6–11, 6–13, 6–15, 7.1–4, 7.1–6, 7.1–17, 7.1–19, 8–11, 9–6
Enterprise 5.1–2, 9–1, 9–2, 9–3, 9–4, 9–5, 9–6, 9–7, 9–8, 9–9, 9–10, 9–11, 9–12, 9–13, 9–14, 9–15, 9–16, 10–1, 11–2, Glossary–18
Enterprise diversification 9–1, 9–19
Entrepreneurial 9–3
Entropy 7.1–20
Equipment 2–5, 3.2–20, 3.2–34, 3.2–35, 5.2–29, 5.2–37, 5.2–44, 5.2–56, 5.2–76, 5.2–77, 5.2–79, 9–2, 11–3, 11–7
Erosion 1–1, 1–2, 2–4, 3.1–5, 3.1–6, 3.1–13, 3.1–17, 3.2–6, 3.2–7, 3.2–10, 3.2–20, 3.2–48, 4–16, 4–26, 4–27, 4–28, 4–29, 4–30, 4–31, 4–32, 4–33, 4–34, 4–38, 4–42, 5.1–3, 5.1–5, 5.1–15, 5.2–26, 5.2–36, 5.2–41, 5.2–44, 5.2–65, 5.2–80, 7.1–1, 7.1–2, 7.1–3, 7.1–5, 7.1–9, 7.1–15, 7.1–16, 7.1–17, 7.1–18, 7.1–19, 7.1–20, 7.1–21, 7.1–22, 7.1–23, 9–6, 9–14, Glossary–19
Erosion model 7–1, 7.1–22
Estimating and harvesting 4–4, 4–7, 4–8
Evaluate alternative solutions 11–10
Evaluating and rating ecological sites 4–1, 4–14
Evaluation of results 11–15

Evapotranspiration 3.2–3, 3.2–13, 3.2–16, 3.2–17, 3.2–25, 3.2–26, 5.2–38, 5.2–69, 5.2–70, 7.1–1, 7.1–9, 7.1–11, 7.1–12, 7.1–13, 7.1–17, Glossary–19
Exchangeable aluminum 3.2–9, 3.2–29, 3.2–32, 3.2–34, 3.2–35, 5.2–61, 5.2–74, Glossary–19

F

Facilitating practices 5.1–2, 5.1–17, 5.1–21, 5.2–39, 5.2–43, 5.2–45, 5.2–48, 5.2–79, 8–12, 11–7, 11–9, 11–12, 11–14, Glossary–19
Facility-based enterprises 9–3, 9–4, 11–8
Fecal sampling 6–13
Feed additives 6–15, Glossary–19
Feeding rules 6–15
Feedstuff 5.2–3, 5.2–34, 5.2–55, 5.2–63, 5.2–80, 6–2, 6–14, Glossary–20
Fencerow developments 8–5
Fencing 3.2–7, 3.2–8, 3.2–19, 3.2–47, 5.1–2, 5.2–41, 5.2–45, 5.2–46, 5.2–78, 7.1–3, 7.1–24, 11–11, Glossary–20
Field Office Technical Guide 3.1–16, 3.1–18, 5.1–2, 5.1–3, 5.1–4, 5.1–15, 5.2–76, 5.2–83, 5.3–2, 9–8, 11–1, 11–13
Fire effects on hydrology and erosion 7.1–23
Fishing 2–1, 2–2, 7.1–2, 8–1, 8–2, 8–6, 8–11, 8–12, 9–3, 9–4, 9–5
Forage crops 3.2–2, 3.2–4, 3.2–5, 3.2–6, 3.2–8, 3.2–9, 3.2–10, 3.2–11, 3.2–12, 3.2–13, 3.2–14, 3.2–15, 3.2–16, 3.2–17, 3.2–18, 3.2–24, 3.2–25, 3.2–26, 3.2–28, 3.2–29, 3.2–33, 3.2–34, 3.2–35, 3.2–36, 3.2–38, 3.2–39, 3.2–40, 3.2–41, 3.2–42, Glossary–22
Forage croplands and pasturelands 2–4
Forage growth response 3.2–20, 3.2–29, 5.2–9
Forage harvest management 3.2–18, 5.2–54, 5.2–68, 5.2–76, 5.2–77, 11–13, Glossary–22
Forage inventory 5–1, 5.3–2, 5.3–5, 5.3ex–1, 5.3ex–5, 11–7, 11–9, 11–12, 11–13, Glossary–22
Forage quality 2–4, 2–5, 3.2–6, 3.2–13, 3.2–17, 3.2–18, 3.2–46, 5.1–8, 5.2–2, 5.2–20, 5.2–24, 5.2–29, 5.2–37, 5.2–39, 5.2–54, 5.2–55, 5.2–57, 5.2–58, 5.2–65, 6–7, 6–8, 6–9, 6–10, 9–6, 11–8, 11–13
Forage suitability groups (FSG) 3–1, 3.1–19, 3.2–1, 3.2–2, 3.2–3, 3.2–4, 3.2–7, 3.2–8, 3.2–11, 3.2–12, 3.2–14, 3.2–17, 3.2–18, 3.2–19, 3.2–26, 3.2–28, 3.2–29, 3.2–33, 3.2–34, 3.2–36, 3.2–38, 3.2–40, 3.2–41, 3.2–45, 3.2–47, 5.2–50, 5.2–59, 5.2–83, 11–1, 11–13, Glossary–22
Forage utilization 4–9, 5.2–17, 5.2–22, 5.2–23, 5.2–26, 5.2–29, 5.2–43, Glossary–22
Forage value rating 4–1, 4–43, 5–1, 5.1–8, 5.1–17, 5.1–20, 5.1–21, 5.3–3, 5.3–4, 5.3ex–9, 11–8, Glossary–22
Forestland ecological site 4–7
Freeze-free period 3.1–11, 3.2–3, 3.2–12, 3.2–13
Frost heave 3.2–1, 3.2–7, 3.2–10, 3.2–19, 3.2–42, 3.2–43, 3.2–44, 5.2–41, 5.2–57, 5.2–66, Glossary–23
Frost-free period 3.1–11, 3.2–12, 3.2–14

G

Game ranching 9–1, Glossary–24
Geology-based enterprises 9–5
Gestation period 6–18
Goal of NRCS 1–2
Grasses 2–2, 3.1–13, 3.2–9, 3.2–12, 3.2–15, 3.2–18, 3.2–25, 3.2–40, 3.2–42, 3.2–44, 3.2–47, 4–3, 4–15, 4–34, 4–36, 4–44, 4–45, 5.1–15, 5.1–16, 5.1–18,
Grasses (cont.) 5.2–2, 5.2–3, 5.2–4, 5.2–9, 5.2–11, 5.2–13, 5.2–14, 5.2–15, 5.2–16, 5.2–17, 5.2–18, 5.2–30, 5.2–32, 5.2–34, 5.2–35, 5.2–36, 5.2–37, 5.2–52, 5.2–54, 5.2–56, 5.2–57, 5.2–60, 5.2–61, 5.2–62, 5.2–63, 5.2–64, 5.2–65, 5.2–66, 5.2–67, 5.2–75, 5.2–76, 7.1–4, 7.1–5, 7.1–6, 7.1–8, 7.1–12, 7.1–14, 7.1–15, 7.1–16, 7.1–22, 8–8, 9–7, Glossary–25
Grazing effects on hydrology and erosion 7.1–19
Grazing effects on riparian areas 71–23
Grazing heights 5.2–10, 5.2–12
Grazing land applications 6–9, 6–13, 10–2, 10–5, 11–1, 11–3, 11–10
Grazing land resources 2–1, 3.2–7, 3.2–20, 3.2–28, 5.2–83, 8–1, 11–6
Grazing practices 5.1–3, 5.2–19, 7.1–19, 8–1
Grazing systems 1–5, 5.1–8, 5.1–9, 5.1–12, 5.1–13, 6–16, 6–17, 7.1–5, 7.1–19, 7.1–21, 7.1–23, 8–8, 8–12, 9–13, Glossary–27
Green weight 4–6, 4–7, 5.3–2
Gross energy 6–2, 6–2, 6–26
Ground cover 3.1–12, 3.1–13, 3.1–14, 3.2–44, 4–1, 4–26, 4–27, 4–29, 4–45, 5.2–14, 5.2–26, 5.2–65, 5.2–67, 5.2–82, 7.1–6, 7.1–16, Glossary–27
Growing degree-day 3.2–3, 3.2–12, 3.2–13, 3.2–14, 3.2–15, 3.2–16
Growing season 2–5, 3.2–1, 3.2–3, 3.2–8, 3.2–12, 3.2–13, 3.2–14, 3.2–15, 3.2–16, 3.2–24, 3.2–25, 3.2–26, 3.2–28, 3.2–42, 3.2–47, 4–7, 4–8, 4–9, 4–13, 4–23, 5.1–1, 5.1–8, 5.1–10, 5.2–3, 5.2–8, 5.2–12, 5.2–16, 5.2–28, 5.2–36, 5.2–57, 5.2–62, 5.2–68, 5.2–70, 6–17, 7.1–6, 7.1–14, Glossary–27
Growing season length 3.2–12, 3.2–14, 3.2–16, 5.2–3

Growing season mean precipitation 3.2–3, 3.2–13, 3.2–15, 3.2–16
Gullies 3.1–12, 7.1–3, 7.1–5, 7.1–17, 7.1–18
Gully erosion 7.1–18, 7.1–21, 7.1–23

H

Habitat elements 8–3, 8–5, 8–7, 8–8
Habitat suitability 8–2, 8–7
Habitat type 8–3, 8–4, Glossary–28
Harvest efficiency 5.2–45, 5.3–1, 5.3–3, Glossary–29
Hay planting 5.2–65, 5.2–76
Hayland 3.2–8, 3.2–45, 3.2–46, 5.2–2, 5.2–9, 5.2–17, 5.2–49, 5.2–61, 5.2–63, 5.2–64, 5.2–79, 5.2–80, 5.3–2, 8–1, 8–3, 8–8
Hedging 4–10, Glossary–29
High intensity—Low frequency 5.1–9, 5.1–12, 5.1–13, Glossary–30
Historic climax plant community 3.1–2, 3.1–3, 3.1–5, 3.1–6, 3.1–7, 3.1–8, 3.1–10, 3.1–11, 3.1–12, 3.1–13, 3.1–15, 3.1–19, 4–2, 4–14, 4–15, 4–16, 4–17, 4–43, 5.1–6, 7.1–15, 7.1–16, Glossary–30
Historic plant climax and hydrology 7.1–15
Hoof action 5.2–10, 7.1–19
Hunting 5.2–78, 8–8, 9–1, 9–3, 9–4, 9–9, 9–10, 9–11, 9–12, 11–2, 11–8, 11–13
Husbandry 5.2–42, 5.2–83, 5.3–5, 6–1, 6–9, 6–14, 11–3, 11–7, 11–13
Hydraulic conductivity 7.1–7
Hydrographs 7.1–8, 7.1–9, 7.1–10
Hydrologic cycle 7.1–1, 7.1–2, 7.1–3, 7.1–4, 7.1–6, 7.1–19
Hydrologic function 3.1–15, 4–23, 4–24, 4–25, 4–30, 4–41, 4–42
Hydrologic water budget 7.1–11
Hydrology models 4–1, 4–2, 7.1–22

I

Improved pasture 2–5, 3.2–7, 5.2–1, 5.2–2, 5.2–43, Glossary–31
Incidence of cloudiness 3.2–3, 3.2–13, 3.2–18
Income 2–4, 9–1, 9–2, 9–9
Infiltration curve 7.1–7
Infiltration definitions 7.1–7
Institutional factors 9–9, 9–11, 9–13
Intake 3.2–19, 4–16, 5.2–9, 5.2–12, 5.2–17, 5.2–20, 5.2–21, 5.2–22, 5.2–23, 5.2–24, 5.2–26, 5.2–29, 5.2–32, 5.2–40, 5.2–41, 5.2–52, 5.2–54, 5.2–62, 5.3–1, 6–3, 6–6, 6–7, 6–8, 6–9, 6–10, 6–11, 6–12, 6–15, 6–20, 7.1–7, 9–6
Integrity of the biotic community 4–23, 4–24, 4–25, 4–41, 4–42
Interception 5.2–10, 5.2–20, 7.1–6, 7.1–11, 7.1–12, 7.1–15
Internal rate of return 10–1, 10–5, 10–6, 10–9, 10–10, Glossary–32
Interrill erosion 4–27, 4–31, 4–34, 7.1–5, 7.1–15, 7.1–16, 7.1–17
Interspersion 8–3, 8–4, 8–5
Inventory 2–5, 3.1–1, 3.1–6, 3.1–8, 3.1–16, 3.1–18, 4–1, 4–2, 4–14, 4–18, 4–23, 4–42, 4–44, 4–45, 5–1, 5.1–2, 5.1–3, 5.1–19, 5.1–20, 5.1–21, 5.2–80, 5.2–83, 5.3–2, 5.3–5, 6–9, 8–3, 8–6, 9–10, 11–2, 11–3, 11–4, 11–5, 11–6, 11–7, 11–8, 11–9, 11–12, 11–13
Inventory the resources 11–7
Inventorying grazed forest 5.1–20
Irrigation water management 3.2–5, 3.2–38, 5.2–38, 5.2–61, 5.2–69, 5.2–72, 5.2–76, 5.2–77

K

Key grazing areas 4–9, 5.1–5, 5.1–6, 5.1–7, 5.1–8, Glossary–32
Key species 4–9, 4–10, 4–13, 4–45, 5.1–5, 5.1–6, 5.1–7, 5.1–8, 5.3–2, 7.1–5, 11–7, Glossary–32

L

Labor 2–4, 2–5, 3.2–1, 3.2–33, 4–2, 5.2–46, 5.2–49, 5.2–56, 5.2–58, 6–15, 6–17, 6–18, 9–1, 9–2, 9–10, 9–11, 9–12, 9–13, 9–14
Lactation 5.2–23, 5.2–24, 6–2, 6–6, 6–10, 8–3
Leaf area index 5.1–10, Glossary–33
Litter 3.1–13, 4–1, 4–27, 4–28, 4–29, 4–31, 4–34, 4–38, 4–42, 5.2–17, 5.2–33, 5.2–34, 7.1–6, 7.1–12, 7.1–15, 7.1–18, Glossary–33
Litter movement 4–31, 4–42
Livestock grazing 2–1, 2–2, 2–3, 2–5, 3.1–8, 5.1–15, 5.2–26, 7.1–3, 7.1–19, 7.1–21, 7.1–23, 7.1–24, 8–2, 8–3, 8–8, 9–2,
Livestock-based enterprises 9–3
Location of salt, minerals, and supplemental feed 6–16

M

Management objectives 1–4, 4–15, 4–16, 4–43, 5.1–2, 5.1–6, 5.1–7, 8–3, 8–6, 9–13, 11–1, 11–9
Management of grazing lands 5.1–3
Management of the overstory 5.1–15
Management of the understory 5.1–16, 5.1–20
Managing grazed forest land 5.1–15, 5.1–19
Managing naturalized or native pasture 5.1–21
Managing rangeland 5–1, 5.1–1, 7.1–22
Marketing 6–17, 6–18, 9–1, 9–3, 9–4

Mean annual precipitation 3.1–11, 3.2–3, 3.2–13, 3.2–16
Metabolizable energy 6–2, 6–3, Glossary–35
Methods of determining production and composition 4–4
Minerals and vitamins 6–15
Mission 1–1, 3.2–20, 3.2–45
Moisture profile 7.1–8, 7.1–9
Monitoring 3.1–11, 3.1–16, 3.1–19, 4–1, 4–2, 4–18, 4–23, 4–44, 4–45, 5.2–22, 5.2–68, 5.2–69, 5.2–83, 7.1–19, 7.1–21, 7.1–22, 8–12
Multispecies calculator 8–7
Multivariate nature of rangelands 7.1–3

N

Naming ecological sites 3.1–9, 3.1–11
National Planning Procedures Handbook 8–2, 9–8, 11–1, 11–2, 11–4
National Soil Survey Handbook 3.1–10, 3.1–17, 3.1–18, 3.2–2, 3.2–28, 3.2–44, 3.2–46
Native and naturalized pasture 2–3, 3.1–19, 5–1
Native fertility 3.2–8, 3.2–19, 3.2–40, 5.2–59
Native haylands 5.2–61
Natural resource-based enterprises 9–3
Naturalized hayland 5.2–61
Naturalized plant community 2–3, 3.1–3, 3.1–5, 3.1–6, 3.1–12, 3.1–13, 3.1–19, 4–43
Net energy 6–3, Glossary–36
Net present value 10–1, 10–5, 10–6, 10–7, 10–8, 10–10, Glossary–37
Nine steps of conservation planning 11–3, 11–4, 11–15
Nonconsumed plants 4–44, 5.3–3, 5.3–4, Glossary–37
Nontraditional uses 9–1
NRCS policy 1–2, 1–3, 1–4, 1–5, 3.1–18, 4–4, 8–2, 10–2, 11–1
Numbering ecological sites 3.1–9, 3.1–11, 3.2–2
Nutrient management 3.2–8, 5.2–3, 5.2–30, 5.2–32, 5.2–35, 5.2–59, 5.2–60, 5.2–63, 5.2–76, 5.2–77, 5.2–82, 11–14, Glossary–38

O

Objectives of conservation planning 11–1
Ocular estimates 4–9
Opportunity cost 10–3, Glossary–38
Overgrazed 5.1–18, 5.2–1, 5.2–2, 5.2–17, 5.2–18, 5.2–20, 5.2–34, 5.2–39, Glossary–38
Overgrazing 3.2–19, 5.2–2, 5.2–18, 5.2–20, 5.2–49, 6–8, 8–11, Glossary–38
Overland flow 3.1–12, 4–27, 4–38, 5.2–39, 7.1–9, 7.1–15, 7.1–17, 7.1–18, Glossary–38
Overstocked 5.2–2, 5.2–17, 5.2–18, 5.2–19

P

Palatability 4–43, 4–44, 4–45, 5.1–5, 5.3–3, 5.3–4, 6–19, Glossary–39
Partial budgeting 10–1, Glossary–39
Pasture condition scoring 7.1–18, 7.1–22
Pasture planting 5.2–35, 5.2–65, 5.2–66, 5.2–67, 11–14, Glossary–39
Pastureland watershed 7.1–1, 7.1–2, 7.1–3
Pedestal 3.1–12, 3.2–47, Glossary–39
Percolation 3.2–33, 3.2–38, 3.2–40, 5.2–39, 5.2–69, 5.2–82, 7.1–3, 7.1–8, 7.1–11, 7.1–12, 7.1–23, Glossary–39
Phosphorus fixation 3.2–9
Physical factors 5.3–1, 9–9, 9–11, 9–13
Physiographic features 3.1–9, 3.1–11, 3.2–3
Planned grazing system 6–17, 7.1–23, 8–8, 8–12, Glossary–41
Planned trend 4–14, 4–15, 4–42, 4–43, Glossary–41
Planning grazing management 5–1, 5.1–3
Plant communities 1–3, 2–2, 2–3, 3.1–1, 3.1–2, 3.1–3, 3.1–5, 3.1–6, 3.1–7, 3.1–8, 3.1–9, 3.1–10, 3.1–11, 3.1–12, 3.1–13, 3.1–15, 3.1–18, 4–23, 4–38, 4–39, 4–43, 5.1–1, 5.1–2, 5.1–3, 5.1–5, 5.1–7, 5.1–19, 5.2–1, 5.2–20, 6–10, 7.1–3, 7.1–4, 7.1–5, 7.1–8, 7.1–9, 7.1–15, 7.1–17, 7.1–19, 7.1–22, 7.1–24, 8–1, 8–3, 8–4, 8–7, 8–8, 9–8, Glossary–41
Plant community composition and distribution relative to infiltration and runoff 3.1–8, 3.1–12, 3.1–13, 3.1–16, 4–34
Plant functional/structural groups 4–42
Plant growth forms 3.1–16, 7.1–3, 7.1–16
Plant life forms 7.1–3, 7.1–16
Plant mortality/decadence 3.1–13, 4–37, 4–42
Plant succession 3.1–2, 8–7
Plant vigor 3.2–6, 4–8, 4–16, 5.2–21, 5.2–57, 5.3–2, 7.1–24, 11–3, 11–8, Glossary–41
Plant-based enterprises 9–5
Policy 1–1, 1–2, 1-3, 1–4, 1–5, 3.1–18, 4–4, 8–1, 8–2, 9–8, 10–2, 11–1
Population management 8–6
Porosity 3.2–42, 5.2–39, 7.1–3, 7.1–6, 7.1–7, 7.1–18, 7.1–19
Potential evapotranspiration 3.2–3, 3.2–13, 3.2–16, 5.2–38
Precipitation 3.1–7, 3.1–9, 3.1–10, 3.1–11, 3.2–2, 3.2–3, 3.2–13, 3.2–15, 3.2–16, 3.2–17, 3.2–44, 4–15, 4–24, 4–29, 4–32, 4–34, 4–45, 5.2–38, 5.2–69, 5.2–82, 6–7, 7.1–3, 7.1–4, 7.1–5, 7.1–6, 7.1–8, 7.1–9, 7.1–11, 7.1–12,

Precipitation (cont.) 7.1–13, 7.1–15, 7.1–17, 7.1–23, Glossary–42
Preferred plants 4–44, 5.1–20, 5.1–3, 5.1–4, 5.3–3, Glossary–42
Preplanning 11–3, 11–4, 11–5
Prescribed burn 5.2–37, 7.1–3, 7.1–22, 7.1–23
Prescribed burning 3.1–3, 4–15, 5.1–2, 5.1–3, 5.1–16, 5.1–21, 5.2–37, 5.2–38, 8–8, 11–11, 11–14, Glossary–42
Prescribed grazing 4–15, 4–43, 5.1–2, 5.1–3, 5.1–8, 5.1–15, 5.1–17, 5.1–20, 5.1–21, 5.2–19, 5.2–20, 5.2–45, 5.2–76, 5.2–77, 5.3–1, 5.3ex–21, 11–11, 11–13, 11–14, 11–15, Glossary–42
Prescribed grazing schedule 5.1–8
Principles of forest grazing 5.1–15
Production of trees 4–8
Productivity 1–5, 3.1–2, 3.1–6, 3.2–1, 3.2–2, 3.2–6, 3.2–20, 3.2–24, 3.2–45, 4–35, 4–44, 5.1–9, 5.1–21, 5.2–24, 5.2–45, 5.2–59, 5.2–65, 6–4, 6–19, 7.1–14, 7.1–18, 7.1–23, 8–6, 8–7, Glossary–43
Products 2–1, 2–2, 2–3, 3.1–3, 3.1–16, 3.2–1, 4–2, 5.1–15, 5.1–20, 5.1–21, 5.2–2, 5.2–19, 5.2–30, 5.2–34, 5.2–36, 5.2–63, 5.2–67, 5.2–75, 6–1, 6–3, 6–4, 9–1, 9–3, 9–5, 9–6, 9–13, 9–14, 10–5
Profits 9–1
Project plans 1–4
Proper degree of grazing use 5.1–7
Proper grazing 5.2–7, 7.1–22, Glossary–43
Protein supplement 6–11, 6–13, 6–14, 6–15
Proteins 3.2–42, 5.2–33, 6–1, 6–2, 6–3, 6–11, 6–14

Q

Quality criteria 5.1–2, 5.1–4, 5.1–5, 5.1–6, 9–8, 9–9, 11–1, 11–3, 11–9, Glossary–43

R

Raindrop impact 7.1–17, 7.1–18
Raindrops 3.1–13, 4–27, 4–32, 4–38, 7.1–6, 7.1–17, 7.1–18
Range improvement practices and hydrologic effects 7.1–2, 7.1–22
Rangeland condition 4–25
Rangeland ecological site 3.1–11, 3.1–18, 5.1–7, Glossary–45
Rangeland health 4–1, 4–9, 4–14, 4–23, 4–24, 4–25, 4–26, 4–35, 4–38, 4–41, 4–42, 4–43, 5.1–2, 5.1–7, 7.1–18, 7.1–22, Glossary–45
Rangeland health ecological attributes 4–14
Rangeland trend 4–14, 4–15, 4–42, Glossary–45
Rangeland watersheds 7.1–17
Real estate 9–1, 9–5
Real estate-based enterprises 9–5
Recreation 2–1, 2–2, 2–3, 3.1–16, 4–2, 7.1–3, 7.1–24, 9–3, 9–4, 9–5, 9–8, 9–13, 11–1, 11–7, 11–13, Glossary–46
Recreational 2–2, 3.1–16, 9–1, 9–2, 9–10, 9–13, 9–14, 11–2
Rehabilitation 7.1–24
Relations 1–5, 3.1–9, 3.1–10, 3.2–29, 3.2–37
Relative humidity 3.2–3, 3.2–13, 3.2–17, 3.2–18, 5.2–56
Reproductive capability of perennial plants 4–40, 4–42
Resilience 3.1–3, Glossary–46
Resistance 3.1–3, 3.2–18, 3.2–44, 4–31, 4–33, 4–35, 4–42, 5.2–35, 5.2–40, 5.2–65, 5.2–77, 5.2–78, 5.2–83, 7.1–18, Glossary–46
Rest rotation 5.1–9, 5.1–10, 5.1–11, Glossary–47
Retrogression 3.1–2, 3.1–5, Glossary–47
Revising ecological site descriptions 3.1–16
Rill erosion 3.2–6, 7.1–18
Rills 3.2–6, 3.2–16, 3.2–47, 3.2–48, 4–1, 7.1–3, 7.1–17, 7.1–18
Riparian area characteristics 5.1–6
Riparian areas 2–2, 5.1–3, 5.1–5, 5.1–6, 5.2–29, 5.2–49, 7.1–21, 7.1–23, 7.1–24, 8–8, 8–11, 8–12
Riparian vegetation 5.2–40, 8–11
Risk 3.2–14, 5.1–14, 5.2–35, 5.2–57, 5.2–77, 9–2, 10–1, 10–3
Root growth 3.2–6, 3.2–9, 3.2–26, 3.2–34, 5.1–3, 5.1–4, 5.2–4
Roots 3.1–7, 3.1–13, 3.1–16, 3.2–9, 3.2–20, 3.2–24, 3.2–25, 3.2–29, 3.2–34, 3.2–42, 3.2–44, 3.2–48, 4–28, 4–30, 5.1–3, 5.1–4, 5.2–10, 5.2–36, 5.2–38, 5.2–39, 5.2–60, 5.2–63, 5.2–65, 5.2–69, 5.2–70, 5.2–72, 7.1–3, 7.1–8, 7.1–18, 7.1–22
Rosgen stream classification 3.1–12
Roughages 5.2–2, 6–7, Glossary–48
Runoff 3.1–1, 3.1–7, 3.1–11, 3.1–16, 3.2–8, 3.2–9, 3.2–17, 3.2–48, 4–16, 4–18, 4–31, 4–34, 4–35, 4–38, 4–42, 5.2–30, 5.2–34, 5.2–38, 5.2–61, 5.2–63, 5.2–65, 5.2–82, 7.1–1, 7.1–3, 7.1–4, 7.1–5, 7.1–6, 7.1–7, 7.1–9, 7.1–11, 7.1–12, 7.1–15, 7.1–16, 7.1–17, 7.1–18, 7.1–19, 7.1–22, 7.1–23, Glossary–48

S

Salinity 3.2–5, 3.2–8, 3.2–19, 3.2–25, 3.2–36, 3.2–37, 3.2–38, 3.2–40, 3.2–42, 5.2–43, 5.2–50, 5.2–59, 5.2–71, 5.2–72, 5.2–73, 6–12
Salt requirements 6–16
Sampling techniques 4–1, 4–44
Sampling vegetation 4–1, 4–44
Seasonal distribution of growth 3.2–7, 5.2–3, 5.2–5, 5.2–6, 5.2–7, 5.2–8, 5.2–9
Seasonal stocking 5.2–29
Sediment delivery and ratios 7.1–21, 7.1–22

Seed quality 5.2–35, 5.2–67
Services 2–1, 2–2, 3.1–11, 3.2–1, 7.1–1
Sheet erosion 3.2–6, 7.1–17, 7.1–18
Short duration 5.1–9, 5.1–13, 5.2–27, 7.1–21, Glossary–51
Shrink-swell 3.2–19, 3.2–47, Glossary–51
Shrub control 7.1–22
Shrub coppices 7.1–15, 7.1–16
Silage 3.2–4, 3.2–5, 3.2–17, 3.2–18, 3.2–21, 3.2–22, 3.2–31, Glossary–52
Silage storage 5.2–49, 5.2–55
Similar sites 3.1–16
Similarity index 1–2, 3.1–13, 4–1, 4–2, 4–7, 4–9, 4–14, 4–17, 4–18, 4–19, 4–20, 4–21, 4–22, 4–23, 4–42, 4–43, 4–45, 5.1–2, 5.1–7, 5.3–2, 5.3–4, 7.1–15, 7.1–16, 11–3, 11–7, 11–12, Glossary–52
Similarity index and hydrologic condition 7.1–15, 7.1–16
Simple interest 10–3
Site description approval 3.1–16
Site interpretations 3.1–15, 3.1–17, 9–8
Social factors 9–1, 9–9, 9–12, 9–14
Sodic soils 3.2–10, 3.2–29, 3.2–36, 3.2–37, 3.2–38, 3.2–47, 5.2–39, 5.2–69, 5.2–72, 5.2–73, 5.2–74, 5.2–75, Glossary–52
Sodium adsorption ratio 3.1–12, 3.2–4, 3.2–5, 3.2–10, 3.2–37
Soil amendments 2–4, 3.2–7, 3.2–10, 3.2–29, 3.2–36, 3.2–38, 5.2–1, 5.2–35, 5.2–36, 5.2–72, 5.2–74, 5.2–75, Glossary–53
Soil bulk density 6–10, 7.1–3, 7.1–6, 7.1–7, 7.1–18, 7.1–19
Soil condition 3.2–2, 3.2–4, 3.2–5, 3.2–12, 3.2–24, 3.2–29, 3.2–32, 3.2–42, 3.2–45, 3.2–47, 7.1–5, 7.1–7, 7.1–16
Soil Conservation Act of 1935 1–1
Soil features 3.1–10, 3.1–12, 3.2–1, 3.2–2, 3.2–26
Soil organic matter 2–4, 3.2–4, 3.2–19, 3.2–25, 3.2–34, 3.2–41, 3.2–42, 3.2–45, 4–31, 4–33, 5.2–33, 5.2–39, 5.2–65, 5.2–75, 5.2–80, 7.1–3, 7.1–7, 7.1–14, 7.1–17, 7.1–18, 7.1–19, 7.1–23, Glossary–12
Soil salinity 3.2–36, 3.2–38, 5.2–72, 7.1–3
Soil structure 3.2–42, 4–33, 4–35, 5.2–29, 5.2–82, 7.1–3, 7.1–6, 7.1–7, 7.1–21
Soil surface cover 3.1–13, 3.2–46
Soil surface loss and degredation 4–28, 4–33, 4–42
Soil surface resistance to erosion 4–31, 4–42
Soil texture 3.1–7, 3.2–4, 3.2–19, 3.2–25, 3.2–34, 3.2–44, 4–30, 5.2–37, 7.1–5, 7.1–6, 7.1–7, 7.1–22
Soil, water, air, plants, and animals 5.1–15, 7.1–3, 9–8, 11–1, 11–3
Soil/site stability 4–23, 4–24, 4–25, 4–26, 4–41, 4–42, 7.1–22, 7.1–23
Spatial distribution 4–34, 7.1–16
SPUR 7.1–22
State 1–2, 1–3, 2–1, 2–3, 3.1–2, 3.1–3, 3.1–4, 3.1–5, 3.1–6, 3.1–8, 3.1–9, 3.1–10, 3.1–11, 3.1–12, 3.1–15, 3.1–16, 3.1–19, 4–4, 4–14, 5.1–6, 5.1–21, 5.2–10, 5.2–22, 5.2–39, 6–1, 6–2, 6–3, 6–6, 6–20, Glossary–54
State and transition model 3.1–2, 3.1–3, 3.1–4, 3.1–12
Steady state infiltration 7.1–5, 7.1–7
Stocking methods 5.2–20, 5.2–24, 5.2–25, 5.2–28, 5.2–29
Stocking rate determinations 5.3–2
Stocking rates 3.2–2, 4–2, 5.1–6, 5.1–8, 5.2–20, 5.2–21, 5.3–1, 5.3–2, 5.3–4, 6–9, 7.1–19
Storage capacity 3.2–48, 7.1–6, 7.1–17
Structure of canopy cover 3.1–13
Stubble height 5.2–12, 5.2–15, 5.2–20, 5.2–21, 5.2–22, 5.2–26, 5.2–27, 5.2–39, 5.2–57, 5.2–68, 5.2–83, 7.1–24
Subsurface flow 7.1–9, 9–7, Glossary–48
Succession 3.1–2, 3.1–5, 4–18, 5.2–18, 5.2–20, 5.2–75, 7.1–3, 7.1–16, 8–5, 8–7, Glossary–56
Supplement 3.2–8, 3.2–12, 3.2–14, 3.2–17, 5.1–2, 5.2–20, 5.2–30, 5.2–33, 5.2–54, 5.2–63, 8–12, 9–1, 11–13
Supplemental feed 3.2–8, 5.2–3, 5.2–22, 5.2–35, 6–4, 6–7, 6–13, 6–14, 6–16, 6–17, 11–14
Supporting information 3.1–16
Surface detention 7.1–6
SWAPA 4–15

T

Tame pasture 2–5, Glossary–57
Technical guides 3.1–16, 3.1–18, 7.1–24
Thermoneutral zone 6–3, 6–6, 6–7, Glossary–57
Thresholds 3.1–3, 3.1–12, 3.2–12, 7.1–16, 7.1–18, 7.1–22
Time value of money 5.2–19, 10–3
Total annual production 3.1–6, 3.1–15, 4–3, 4–17, 4–18, 5.2–8, 5.2–9, Glossary–58
Tourism 9–2, 9–3
Toxic 3.2–26, 3.2–29, 3.2–34, 3.2–35, 3.2–36, 4–44, 5.2–17, 5.2–30, 5.2–38, 5.2–39, 5.2–47, 5.2–61, 5.2–64, 5.2–67, 5.2–77, 5.2–79, 5.2–83, 5.3–3, 5.3–4, 6–10, 6–15
Toxic plants 4–44, 5.3–3, 5.3–4
Trafficability 3.2–4, 3.2–19, 3.2–45, 3.2–46, 3.2–47, Glossary–58
Trampling 4–16, 4–29, 4–35, 5.2–3, 5.2–20, 5.2–22, 5.2–29, 5.2–48, 7.1–2, 7.1–5, 7.1–18, 7.1–19, 7.1–23, 8–11, Glossary–58

Transition 3.1–2, 3.1–3, 3.1–4, 3.1–12, 5.1–2, 5.1–19, 5.2–20, 5.2–29, 7.1–8, 7.1–23, Glossary–58
Travel corridors 8–3, 8–4
Travel lanes 8–5, 9–6
Trend 4–1, 4–2, 4–9, 4–10, 4–11, 4–12, 4–13, 4–14, 4–15, 4–16, 4–17, 4–42, 4–43, 4–44, 4–45, 5.1–1, 5.1–2, 5.1–7, 5.1–8, 5.2–20, 5.3–2, 5.3ex–2, 8–7, 8–12, 11–3, 11–7, 11–8, 11–12, 11–15, Glossary–59

U

Undesirable plants 4–44, 5.1–3, 5.3–3
Uses and benefits 2–1
Utilization 3.2–7, 3.2–32, 3.2–46, 4–1, 4–9, 4–10, 4–11, 4–13, 4–44, 4–45, 5.1–8, 5.1–12, 5.1–13, 6–1, 6–2, 6–11, 6–15, 6–16, 7.1–24, 8–7, 8–12, 9–6

V

Vegetation management practices 3.1–3, 5.1–2, 5.1–3, 7.1–1, 11–9
Vegetation sampling 4–1, 4–44
Vitamins 5.2–2, 6–11, 6–15

W

Water budgets 5.2–38, 5.2–69, 5.2–82, 7.1–11, 7.1–12, 7.1–13, 7.1–17, Glossary–61
Water cycle 3.1–3, 3.1–6, 3.1–13, 4–24
Water development 5.1–2, 5.1–21, 5.2–39, 8–12, 11–9, 11–11, 11–15
Water feature 3.1–12
Water quality 2–2, 5.1–5, 5.2–19, 5.2–40, 5.2–43, 5.2–63, 5.2–70, 5.2–79, 5.2–80, 5.2–82, 6–12, 7.1–1, 7.1–2, 7.1–23, 7.1–24, 8–5, 8–11, 8–12, 11–2, 11–4, 11–5, 11–7, 11–8, 11–13
Water repellency 7.1–23
Water soluble aluminum 3.2–34, 3.2–35
Water use efficiency 3.2–20, 7.1–14
Water-based enterprises 9–5
Watering facilities 5.2–43, 6–8, 8–6, 8–9, 11–7
Watershed 1–1, 1–4, 2–3, 4–2, 4–18, 4–34, 5.1–8, 5.2–63, 5.2–79, 7.1–1, 7.1–2, 7.1–3, 7.1–5, 7.1–6, 7.1–8, 7.1–9, 7.1–10, 7.1–11, 7.1–15, 7.1–17, 7.1–19, 7.1–21, 7.1–22, 8–11, 8–12, Glossary–62
Watershed inputs 7.1–5, 7.1–11
Watershed issues 7.1–2
Weed control 3.2–6, 5.2–35, 5.2–65, 5.2–66, 5.2–75, 5.2–76, 11–14
Weight units 4–4, 4–8
WEPP 7.1–22
Wetting front 7.1–8
Wildlife food 2–4, 8–1, 8–8
Wildlife habitat 2–1, 2–2, 4–2, 5.1–5, 5.1–8, 5.1–15, 5.1–16, 5.1–18, 5.1–19, 7.1–1, 7.1–2, 7.1–24, 9–7, 11–3, 11–7, 11–8, 11–13
Wildlife water 8–6, 8–9
Wildlife-based enterprises 9–4
Wind erosion 5.2–65, 5.2–80, 5.2–82
Wind-scoured, blowout, and/or depositional areas 3.1–12, 4–30, 4–42
Winter-based enterprises 9–5