

Index

A

Adaptive management, **6-37**, 9-32
Aggradation
 regression functions, 7-55
Agriculture
 vegetative clearing, 3-14
 hypothetical condition and restoration response, 8-83
 instream modifications, 3-14
 irrigation and drainage, 3-15
 restoration, 8-83
 sediment and contaminants, 3-15
 soil exposure and compaction, 3-15
Alternatives
 design, 5-17
 restoration alternatives, **5-17**
 supporting analyses, 5-25
Aquatic habitat, 2-59
 subsystems, 2-59
Aquatic vegetation, 2-63

B

Backwater
 computation, 7-24
 effects, 7-23
Bank stability, 7-57
 bank erosion, 8-45
 bank stability check, 8-44
 charts, 7-60
 critical bank heights, 7-60
 protection measures, 8-46
 qualitative assessment, 7-57
 quantitative assessment, 7-59
Bank stabilization, 8-45, 8-61
 anchored cutting systems, 8-64
 geotextile systems, 8-65
 trees and logs, 8-66
Bank restoration, 8-61
 inspections, 9-23
Bankfull discharge, **1-17**, 7-10
 field indicators, 7-10
Benthic invertebrates, 2-64
 benthic rapid bioassessment, 7-82
Beaver
 ecosystem impacts, 8-26
 impact of dams, 2-58
 transplanting, 8-26
Biological diversity
 complexity, 7-78
 evaluating indices, 7-84
 in developing goals and objectives, 5-6
 Index of Biotic Integrity, 7-79
 measures of diversity, 7-79
 spatial scale, 7-79
 standard of comparison, 7-83
 subsets of concern, 7-79
Buffers, 8-11
 forested buffer strips, 8-89
 multispecies riparian buffer system, 8-87
 requirements, 8-90
 urban stream buffers, 8-12

C

Channel, **1-12**,
 equilibrium, 1-13
 scarp, **1-12**
 size, 1-13
 thalweg, **1-12**
Channel form, 1-26
 anastomosed streams, **1-27**
 braided streams, **1-27**
 predicting stable type, 8-30
Channel incision, 1-20
Channel slope, **2-22**
 longitudinal profiles, 2-22
Channel cross section, 2-23
 composite and compound cross sections, 7-23
 field procedures, 7-24
 site/reach selection, 2-23, 7-23
Channel evolution models, **7-30**
 advantages of, 7-34
 applications of geomorphic analysis, 7-37
 limitations of, 7-36
Channel-forming (or dominant) discharge, **1-16**, 7-3, 7-8
 determining from recurrence interval, 7-4, 7-12
 determining from watershed variables, 7-15
 mean annual flow, 7-15
Channel models, 8-40
 computer models, 8-41
 physical models, 8-41
Channel restoration, 8-28
 dimensions, 8-32, 8-37
 inspection, 9-23
 maintenance, 9-26
 moving beds, known slope, 8-38
 moving beds, known sediment concentration, 8-39
 reconstruction procedures, 8-28
 reference reach, **8-33**
 shape, 8-43
Channel roughness, 2-24
 formation of aquatic habitat, 2-25
 in meandering streams, 2-25
Channel stability
 bank, 7-50
 bed, 7-51
 local, 7-51
 systemwide, 7-51
Channel widening, 7-60
 predictions, 7-62
Channelization and diversions, 3-8
 restoration design, 8-79
CompMech (compensatory mechanisms), 7-92
 use with PHABSIM, 7-92
Conditions in stream corridor, 4-19
 causes of impairment, 4-23
 condition continuum, 4-22
 management influence, 4-26
Conduit function, 2-82

Connectivity and width, **2-79**, 8-4, 8-17
 reference stream corridor, 8-7
 restoration design, 8-20
Conservation easements, 6-7
Contouring, 9-13
Cost components and analysis, 5-21
 benefits evaluation, 5-29
 cost-effectiveness analysis, **5-26**
 data requirements, 5-21
 decision making, 5-28
 estimations, 6-29
 incremental cost analysis, **5-27**
Cross section surveys, 7-53
Cultural resources, 9-8

D

Dams
 as a disturbance, 3-7
 best management practices, 8-77
 effects on stream corridors, 8-77
 Glen Canyon Dam spiked flow experiment, 3-9
 removal, 8-78
Data analysis and management, 7-72
 costs, 6-30
Degradation
 regression functions, 7-54
Design, **8-1**
Discharge, **1-16**
 continuity equation, **7-17**
 design discharge for restoration, 8-29
 measurement, 7-25
Drainage, for implementation, 9-11
Dynamic equilibrium, 1-1, **2-86**
Disturbance, 2-87, 3-1
 Arnold, MO flood, 3-5
 biological, 3-6, 7-96
 broad scale, 3-3
 causal chain of events, 3-1
 chemical, 3-6
 natural disturbances, 3-3
 physical, 3-6

E

Ecological Restoration, **I-3**
Ecosystem
 internal/external movement model, 1-3
 stream-riparian, 2-53
 relationship btw. terrestrial/aquatic ecosystems, 2-75
 river floodplain, 2-53
Effective discharge, **1-17**, 7-13
Erosion, **2-15**, 2-27,
 control of, 2-27, 9-4
Environmental impact analysis, 5-30
Eutrophication, **2-73**

Evaluation, **6-34**, 6-41

- baseline characterization, **9-29**
- effectiveness monitoring, 9-32
- fish barrier modifications, 9-36
- human interest, 9-38, 9-46
- implementation monitoring, 9-32
- parameters, 9-32
- performance evaluation, **9-29**
- reference sites, 9-35
- risk assessment, **9-29**
- trend assessment, **9-29**
- validation monitoring, 9-32

Evaporation, 2-6

Evapotranspiration, **2-7**

Exotic species, 3-10

- control, 8-79

- salt cedar, 3-12

- Western U.S., 3-11

F

Fauna

- aquatic fauna, 2-63

- beaver (*see Beaver above*)

- benthic invertebrates, 2-63

- birds, 2-57

- fish, 2-65

- habitat features, 2-56

- mammals, 2-58

- mussels, 2-67

- reptiles and amphibians, 2-57

Fencing, 9-20

Filter and barrier functions, 2-84

- edges, 2-85

Fish, 2-65

- barriers, 8-75, 9-36

- bioindicators, 7-83

- feeding and reproduction

- strategies, 2-66

- managing restoration, 9-46

- species richness, 2-65

Floodplain, **1-12**

- hydrologic floodplain, **1-18**

- topographic floodplain, **1-18**

- flood storage, 1-18

- lag time, **1-18**

- lateral accretion, **2-26**

- stability, 2-24

- vertical accretion, **2-26**

Floodplain landforms and deposits, 1-19

- backswamps, **1-19**

- chute, **1-19**

- clay plug, **1-19**

- meander scroll, **1-19**

- natural levees, **1-19**

- oxbow, **1-19**

- oxbow lake, **1-19**

- restoration of microrelief, 8-8

- splays, **1-19**

Flood-pulse concept, 1-21

Flow

- allowable velocity check, 8-48, 8-51

- allowable stress check, 8-48, 8-51

- baseflow, **1-14**, 2-13

- daily mean streamflow, 7-6

- ecological impacts, 2-15

- ephemeral streams, **1-16**

- effluent or gaining reaches, **1-16**

- impact on fauna, 2-68

- influent or "losing" reaches, **1-16**

- intermittent streams, **1-16**

- mean annual flow, **7-15**

- peak flow, 7-6

- perennial streams, **1-16**

- stormflow, **1-14**

- sources of data, 7-6

- uniform flow, **7-20**

Flow duration, **2-14**

- flow duration curve, 7-3

Flow frequency, **2-14**, **7-4**

- flood frequency analysis, 7-4, 7-7

- low-flow frequency analysis, 7-7

Food patches, 8-25

Forests and forestry

- buffer strips, 8-89

- managing restoration, 9-42

- site preparation, 3-17

- transportation, 3-17, 8-88

- tree removal, 3-16

Functions, **2-78**

- barrier, **2-78**

- conduit, 1-8, **2-78**

- filter, **2-78**

- habitat, **2-78**

- sink, **2-78**

- source, **2-78**

Funding,

- organization, 4-9

- restoration implementation, 6-2

G

Geomorphic assessment, **7-26**

Geomorphology, **2-15**

Goals and Objectives, 5-12, 5-14

- desired future conditions, **5-3**,

- 5-12

- responsiveness, **5-14**

- restoration constraints and issues,

- 5-7**

- restoration goals, **5-12**

- restoration objectives, **5-13**

- scale considerations, 5-3

- self-sustainability, **5-14**

- tolerance, **5-14**

- value, **5-14**

- vulnerability, **5-14**

Grazing

- loss of vegetative cover, 3-18

- physical impacts, 3-19

- restoration, 8-90, 9-43

Greentree reservoirs, 8-24

Ground water

- aquifer, **2-10**

- aquifers, **2-10**

- capillary fringe, **2-10**

- confined aquifer, **2-11**

- pellicular water, **2-10**

- phreatic zone, **2-11**

- recharge area, **2-11**

- springs, seeps, **2-11**

- unconfined aquifer, **2-11**

- vadose zone, **2-10**

H

Habitat Evaluation Procedures (HEP), 7-87

Habitat functions, 2-78

- edge and interior, 2-81, 8-21

Habitat Recovery (*instream*), 8-70

- procedures, 8-71

Hydraulic geometry

- channel planform, 7-47

- hydraulic geometry curves Salmon

- River, 7-43

- hydraulic geometry theory, **7-41**,

- 8-36

- meander geometry, 7-47, 7-48,

- 7-49

- regime formulas, 7-49

- regime theory, 7-44

- regional curves, 7-44

- relations based on mean annual

- discharge, 7-41

- stability assessment, 7-44

Hydrologic cycle, **2-3**

Hydrologic unit cataloging, 1-9

I

Indicator species, **7-76**

- aquatic invertebrates

- habitat evaluation procedures,

- 7-78

- riparian response guilds, 7-78

- selecting indicators, 7-77

Infiltration, **2-8**

- infiltration capacity, **2-8**

- infiltration rate, **2-8**

- porosity, **2-8**

Implementing restoration, 6-2

- construction, 9-12

- emergency maintenance, **9-26**

- flow diversion, 9-14

- minimizing disturbance, 9-4

- plant establishment, 9-15

- remedial maintenance, **9-26**

- scheduled maintenance, **9-26**

- site preparation, 9-3, 9-10

- staging areas, 9-4

- work zone, 9-3

Inspection, 9-21

Instream Flow Incremental Methodology (IFIM), 5-24, 7-88,

Instream structures, 8-72
 design, 8-72
 engineered log jams, 9-30
 inspection, 9-23
Interception, 2-4
 precipitation pathways, 2-5
Irrigation, 9-20

L

Landscape scale, **1-7**
 in goals and objective development, 5-5
Land use
 design approaches for common effects, 8-76
 developing goals and objectives, 5-3
 summary of disturbance activities, 3-26
Log jams, engineered, 9-30
Longitudinal zones, 1-24
Longitudinal profile, 2-23, 8-43
 adjustments, 2-23

M

Managing restoration, 9-40
Manning's equation, **7-17**
 direct solution for Manning's n, 7-18
 Froude number, **7-21**
 indirect solution for Manning's n, 7-19
 Manning's n in relation to bedforms, 7-21
Monitoring, 6-22
 acting on results, 6-37
 dissemination of results, 6-39
 documenting and reporting, 6-38
 inspection, 9-21
 monitoring plan, 6-23, 6-25, **6-29**, 6-33
 performance criteria, **6-24**
 level of effort, 6-31
 parameters, and methods, 6-26
 target conditions, 6-26
 types of data, 6-31
Montgomery and Buffington classification system, 7-29
Mining
 altered hydrology, 3-19
 contaminants, 3-20
 reclamation, 8-96
 soil disturbance, 3-20
 vegetative clearing, 3-20
Mulches, 9-19

N

Nest structures, 8-25

O

Oak Ridge Chinook salmon model (ORCM), 7-92

Organic material, 2-73
 autochthonous, **1-30**, 2-73
 allochthonous, **1-30**, 2-73
 heterotrophic, **1-30**
Organizing restoration
 advisory group, **4-4**
 boundary setting, 4-3
 commitments, 6-10
 contractors, 6-10
 characteristics of success, 6-17
 decision maker, **4-4**
 decision structure, 4-10
 dividing responsibilities, 6-4, 6-6
 documentation, 4-13
 information sharing, 4-12
 permits, 6-13
 schedules, 6-12
 scoping process, 4-3
 sponsor, **4-4**
 technical teams, 4-5, 6-8
 tools, 6-3
 volunteers, 6-8
Overland flow, **2-11**
 depression storage, **2-11**
 Horton overland flow, **2-12**
 surface detention, **2-12**

P

Physical Habitat Simulation Model (PHABSIM), 7-88
 time series simulations, 7-91
 use with CompMech, 7-92
Physical structure
 corridor, **1-3**
 patch, **1-3**
 matrix, **1-3**
 mosaic, **1-3**
Pools and riffles, **1-28**, 2-22
 riffle spacing, 8-43
Problem/opportunities identification, 4-16
 baseline data, **4-17**
 community mapping, 4-17
 data analysis, 4-19
 data collection, 4-16
 historical data, **4-17**
 problem/opportunity statements, **4-27**
 reference condition, **4-20**
 reference reach, **4-20**
 reference site, **4-20**
Proper Functioning Condition (PFC), 7-39
Public outreach, 4-12
 tools, 4-13

Q

Quality assurance and quality control
 costs, 6-29
 restoration planning, 5-8
 sampling, 7-73

R

Rapid bioassessment, 7-80
Reach file/National Hydrography Dataset, 1-9
Reach scale, 1-10
 in developing goals and objectives, 5-7
Rehabilitation, **1-3**
Recovery, **2-87**
Recreation, 3-21
 restoration design, 8-97
Regional hydrological analysis, 7-15
Regional scale, 1-6
Rehabilitation, **1-3**
Resistance, **2-87**
Resilience, **2-87**
 in Eastern upland forests, 3-4
Restoration, 1-2, **1-3**
Riffles (*see Pools and riffles*)
Risk assessment, 5-29
River continuum concept, 1-30
Riverine Community Habitat
 Assessment and Restoration
 Concept Model (RCHARC), 7-91
Rosgen stream classification system, 7-29
Runoff, **2-11**
Quick return flow, **2-13**

S

Salmonid population model (SALMOD), 7-93
Sampling
 automatic, 7-65
 chain of custody, 7-70
 discrete versus composite, 7-66
 field analysis, 7-67
 field sampling plan, **6-30**
 frequency, 7-63, 6-32
 grab, 7-65
 labeling, 7-69
 laboratory sample analysis, **6-30**
 manual, 7-65
 packaging and shipping, 7-70
 preparation and handling, 7-69
 preservation, 7-69
 site selection, 7-64
 timing and duration, 6-32
Saturated overland flow, **2-13**
Scarp, **1-12**
Schumm
 classification system, 7-29
 equation, 2-21
Sediment
 ecological and water quality
 impacts, 2-26
Sediment control, 9-4
 hay bales, 9-5
 silt fence, 9-5
Sediment deposition, **2-15**
Sediment sampling
 analysis, 7-71
 collection techniques, 7-71

- Sediment transport, **2-15**, 8-53
 - bed load, **2-18**
 - bed-material load, **2-18**, 2-19
 - budget, 8-56
 - discharge functions, 8-55
 - HEC-6, 8-54
 - impact on habitat, 2-26
 - impact on water quality, 2-26
 - measured load, **2-19**
 - particle movement, 2-17
 - processes, 7-57
 - saltation, **2-17**
 - sediment load, **2-18**
 - sediment rating curve, 7-13, 8-29
 - stream competence, **2-16**
 - stream power, **2-19**, 8-52
 - suspended bed material load, **2-18**
 - suspended load, **2-18**, 2-19
 - suspended sediment discharge, **2-18**
 - tractive (shear) stress, **2-16**, 8-38, 8-48, 8-51
 - unmeasured load, **2-19**
 - wash load, **2-18**, 2-19
 - Single-thread streams, 1-26
 - Sinuosity, **1-27**
 - affecting slope, 2-22
 - meander design, 8-34, 8-36
 - Site access, 6-15, 9-4
 - access easement, **6-16**
 - drainage easement, **6-16**
 - fee acquisition, **6-16**
 - implementation easement, **6-16**
 - right of entry, **6-15**
 - Site clearing, 9-10
 - Species requirements, 7-86, 8-7
 - Specific gauge analysis, 7-52
 - Soil
 - compaction, 8-9
 - ecological role of, 2-51
 - depleted matrix, **2-49**
 - functions, 2-45
 - hydric soils, 2-48
 - microbiology, 2-46, 2-51, 8-9
 - salinity, 8-10
 - soil surveys, 8-9
 - topographic position, 2-47
 - type, 2-46
 - wetland, 2-48
 - Soil bioengineering, 8-23, 8-61
 - geotechnical engineering, 9-13
 - Soil moisture, 2-9
 - evaporation, 2-6
 - deep percolation, **2-9**
 - field capacity, **2-9**
 - permanent wilting point, **2-9**
 - relationship with temperature, 2-47
 - Source and sink functions, 2-86
 - Spatial scale, **1-3**
 - landscapes, **1-7**
 - region, **1-6**
 - reach, **1-10**
 - watershed, **1-8**
 - Stability (in stream and floodplain), 2-20, 2-87
 - assessment, 8-44
 - allowable stress check, 8-48
 - allowable velocity check, 8-48
 - controls, 8-64
 - horizontal stability, 8-45
 - vertical stability, 8-44
 - Storm hydrograph, **1-15**
 - after urbanization, **1-15**
 - recession limb, **1-15**
 - rising limb, **1-15**
 - Stream classification, **7-26**, 7-85
 - applications of geomorphic analysis, 7-37
 - advantages, 7-27
 - alluvial vs. non-alluvial, **7-27**
 - limitations, 7-27
 - use in restoring biological conditions, 7-86
 - Stream corridor, **1-1**
 - adjustments, 2-21
 - common features, 1-12
 - Stream corridor scale, **1-10**
 - in developing goals and objectives, 5-6
 - Stream health
 - visual assessment, 7-76
 - Stream instability, 7-50
 - bed stability, 7-51
 - local, 7-51
 - systemwide, 7-51
 - Stream order, **1-25**
 - as a classification system, 7-28
 - stream continuum concept, 1-30
 - Stream scale, **1-10**
 - Stream stability (balance), 1-14, 2-20
 - Stream system dynamics, 7-48
 - Substrate, 2-71
 - bed material particle size distribution, 7-25, 8-28
 - hyphorheic zone, 2-72
 - pebble count, **7-25**
 - vertical (bed) stability
 - Subsurface flow, **2-12**
- T**
- Temporal scale, 1-11
 - Terrace, **1-20**
 - formation, 1-20
 - numbering, 1-21
 - Thalweg, **1-12**
 - profiles, 7-53
 - surveys, 7-53
 - Transitional upland fringe, **1-12**, 1-20
 - Transpiration, **2-5**
 - Two-dimensional flow modeling, 7-90
- U**
- Urbanization, 3-22
 - altered channels, 3-24, 8-97
 - altered hydrology, 3-23, 8-97
 - design tools, 8-101
 - habitat and aquatic life, 3-25
 - inspection program, 9-25
 - runoff controls, 8-99
 - sediment controls, 8-100
 - sedimentation and contaminants, 3-24
- V**
- Valley form, 8-4
 - Vegetation
 - across the stream corridor, 1-21
 - along the stream corridor, 1-29
 - canyon effect, 2-54
 - distribution and characteristics, 2-51
 - flooding tolerances, 7-96, 8-22
 - horizontal complexity, 2-52, 8-17
 - internal complexity (diversity), 2-51
 - landscape scale, 2-53
 - structure, 2-55
 - stream corridor scale, 2-53
 - vertical complexity (diversity), 2-55, 8-21
 - zonation, 7-96
 - Vegetation-hydroperiod modeling, 7-94
 - use in restoration, 8-23
 - Vegetation restoration, 8-14
 - existing vegetation, 8-11
 - inspection, 9-24
 - maintenance, 9-28
 - restoration species, 8-10
 - revegetation, 8-14, 9-15
- W**
- Waste disposal, sanitation, 9-9
 - Water surface
 - energy equation, **7-21**
 - profile, 7-18
 - slope survey, 7-24
 - Water temperature, 2-28
 - effects of cover, 2-68
 - impacts of surface versus ground water pathways, 2-28
 - impacts on fauna, 2-68
 - sampling, 7-68
 - thermal loading, 2-28

Water quality
 acidity, 2-30, 2-31
 alkalinity, 2-30, 2-31
 biochemical oxygen demand (BOD),
 2-32
 dissolved oxygen, 2-31, 2-70,
 (sampling) 7-68
 iron, 2-29
 metals, 2-44
 nitrogen, 2-35
 pH, 2-30, 2-71, *(sampling)* 7-68
 phosphorus, 2-35
 restoration implementation, 9-6
 salinity, 2-29
 toxic organic chemicals, 2-38
Watershed, **1-24**
 designing for drainage and
 topography, 8-8
 drainage patterns, 1-25
 watershed scale, 1-8
Wetlands, **2-60**
 functions, 2-61
 hydrogeomorphic approach, **2-62**
 National Wetlands Inventory, 2-61
 palustrine wetlands, **2-62**
 plant adaptation, 2-49
 USFWS Classification of Wetlands
 and Deepwater Habitats of the
 United States, 2-61
Width *(see Connectivity and width)*